

## Cerium polishing compound

Revision date: 05/24/2023 Product code: BOCE2601EU Page 1 of 6

#### 1. Identification

#### **Product identifier**

Cerium polishing compound

#### Further trade names

BO CE2601EU, 1kg BO CE2620EU, 20kg

# Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

Polishing agent

#### Details of the supplier of the safety data sheet

Manufacturer

Company name: BOHLE AG
Street: Dieselstr. 10
Place: D-42781 Haan

Telephone: +49 2129 5568-0 Telefax: +49 2129 5568-282

e-mail: info@bohle.de

Contact person: Dr. Martin Schade Telephone: +49 2129 5568-300

e-mail: MSDS@bohle.de Internet: www.bohle.com

Responsible Department: Chemie

Trader of the product

Company name: Bohle America, Inc.

Street: 10924 Granite Street, Suite 200
Place: USA-NC 28273 Charlotte

e-mail (Contact person): sales@bohle.com

Emergency phone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

## 2. Hazard(s) identification

### **Classification of the chemical**

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### **Label elements**

## 3. Composition/information on ingredients

### **Mixtures**

#### **Chemical characterization**

**CERIUM OXIDE** 

#### **Hazardous components**

CAS No	Components			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	Reaction mass of cerium dioxide and lanthanum fluoride and lanthanum oxide			80-100 %
	909-701-4		01-2119541810-46	

Full text of H and EUH statements: see section 16.



## Cerium polishing compound

Revision date: 05/24/2023 Product code: BOCE2601EU Page 2 of 6

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Components	Quantity
	Specific Conc. Limits, M-factors and ATE		
	909-701-4	Reaction mass of cerium dioxide and lanthanum fluoride and lanthanum oxide	80-100 %
	inhalation: LC50 = >5,05 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg		

#### 4. First-aid measures

#### Description of first aid measures

#### **General information**

Show this safety data sheet to the doctor in attendance.

#### After inhalation

Provide fresh air. If symptoms persist, call a physician.

#### After contact with skin

Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

#### After contact with eyes

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

#### After ingestion

If conscious, drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician. Do not leave the victim unattended.

## Most important symptoms and effects, both acute and delayed

No data available

### Indication of any immediate medical attention and special treatment needed

No data available

## 5. Fire-fighting measures

#### Extinguishing media

#### Suitable extinguishing media

water spray dry powder foam carbon dioxide (CO2)

#### Unsuitable extinguishing media

None known.

### Specific hazards arising from the chemical

The product is not flammable.

## Special protective equipment and precautions for fire-fighters

In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Standard procedure for chemical fires.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

## General advice

Use personal protective equipment. Suitable mask with particle filter P3 (European Norm 143). Wear suitable gloves. safety glasses.

### **Environmental precautions**

Ecological injuries are not known or expected under normal use. Do not allow to enter into surface water or drains.

#### Methods and material for containment and cleaning up



## **Cerium polishing compound**

Revision date: 05/24/2023 Product code: BOCE2601EU Page 3 of 6

#### For cleaning up

Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly. Flush with water

### Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Provide sufficient air exchange and/or exhaust in work rooms. Dust must be extracted directly at the point of origin. Avoid contact with skin and eyes. Do not breathe vapours/dust.

### Advice on general occupational hygiene

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs.

## Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

No special storage conditions required. Store at room temperature in the original container. Keep container tightly closed and dry.

### 8. Exposure controls/personal protection

#### **Control parameters**

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
	Reaction mass of cerium dioxide and lanthanum fluoride and lanthanum oxide			
Worker DNEL, long-term		dermal	systemic	8,33 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	3 mg/m³
Consumer DNEL, long-term		dermal	systemic	4,17 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,5 mg/m³
Consumer DNEL, long-term		oral	systemic	4,17 mg/kg bw/day

#### **Exposure controls**

#### Appropriate engineering controls

Local exhaust. Dust must be extracted directly at the point of origin.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

safety glasses with side-shields conforming to EN166

## **Hand protection**

Wear suitable gloves.

### Skin protection

long sleeved clothing

#### Respiratory protection

Suitable mask with particle filter P3 (European Norm 143)



### **Cerium polishing compound**

Revision date: 05/24/2023 Product code: BOCE2601EU Page 4 of 6

#### **Environmental exposure controls**

Ecological injuries are not known or expected under normal use. Do not allow to enter into surface water or drains

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: powder
Color: cream-colored
Odor: odourless

Test method

Melting point/freezing point: > 500 °C OECD 102

Boiling point or initial boiling point and not applicable

boiling range:

Lower explosion limits: VDI 2263
Upper explosion limits: VDI 2263

Flash point: not applicable pH-Value: not applicable

Water solubility: insoluble OECD 105

Density (at 25 °C): 6,8 g/cm³
Particle characteristics: < 5 µm

Other information

### Information with regard to physical hazard classes

Explosive properties

No hazards resulting from the material as supplied.

Sustaining combustion:

No data available

Self-ignition temperature

Solid: >500 °C

Oxidizing properties

No hazards resulting from the material as supplied.

Other safety characteristics

Solvent content: 0,0 % Solid content: 100 %

#### 10. Stability and reactivity

## Reactivity

No data available

### **Chemical stability**

Stable under normal conditions.

### Possibility of hazardous reactions

None known.

#### **Conditions to avoid**

No dangerous reaction known under conditions of normal use. Avoid dust formation.

## **Incompatible materials**

No dangerous reaction known under conditions of normal use. strong acids.

## **Hazardous decomposition products**

None known.

## 11. Toxicological information



## Cerium polishing compound

Revision date: 05/24/2023 Product code: BOCE2601EU Page 5 of 6

### Information on toxicological effects

#### **Acute toxicity**

CAS No	Components					
	Exposure route	Dose	Species	Source	Method	
	Reaction mass of cerium dioxide and lanthanum fluoride and lanthanum oxide					
	oral	LD50 >2000 mg/kg	Rat		OECD 423	
	dermal	LD50 >2000 mg/kg	Rat		OECD 402	
	inhalation (4 h) dust/mist	LC50 >5,05 mg/l	Rat		OECD 403	

### Sensitizing effects

No sensitization responses were observed.

### Carcinogenic/mutagenic/toxic effects for reproduction

No data available

## 12. Ecological information

#### **Ecotoxicity**

No data available

CAS No	Components					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	Reaction mass of cerium dioxide and lanthanum fluoride and lanthanum oxide					
	Fish toxicity	NOEC > 100 mg/l	96 d	Danio rerio (zebrafish)		

## Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

## **Mobility in soil**

No data available

### Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 13. Disposal considerations

## Waste treatment methods

### **Disposal recommendations**

In accordance with local and national regulations.

### Contaminated packaging

In accordance with local and national regulations.

### 14. Transport information

## Land transport (ADR/RID)

**UN number or ID number:** 

No dangerous good in sense of this transport regulation.



Cerium polishing compound

Revision date: 05/24/2023 Product code: BOCE2601EU Page 6 of 6

UN proper shipping name:No dangerous good in sense of this transport regulation.Transport hazard class(es):No dangerous good in sense of this transport regulation.Packing group:No dangerous good in sense of this transport regulation.

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

No dangerous good in sense of this transport regulation.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

Other applicable information

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

### 15. Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

2004/42/EC (VOC): 0%

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

## 16. Other information

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)