Telefax: +49 2129 5568-282



Safety Data Sheet

according to Regulation (EC) No 1907/2006

BOHLE KF150 POLISHING POWDER

Product code: BOKF15025 Revision date: 28.04.2023 Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BOHLE KF150 POLISHING POWDER

Further trade names

BO KF15001 1kg BO KF15025 25kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Polishing agent

1.3. Details of the supplier of the safety data sheet

Company name: **BOHLE AG** Street: Dieselstr. 10 Place: 42781 Haan Telephone: +49 2129 5568-0

e-mail: info@bohle.de

Contact person: Dr. Martin Schade Telephone: +49 2129 5568-300

e-mail: MSDS@bohle.de www.bohle.com Internet:

Responsible Department: Chemie

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Rare earth flourides

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Print date: 28.04.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

BOHLE KF150 POLISHING POWDER

Revision date: 28.04.2023 Product code: BOKF15025 Page 2 of 6

present and easy to do. Continue rinsing.

Labelling of packages where the contents do not exceed 125 ml

Signal word:

Warning

Pictograms:



SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Rare earth flourides

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	Classification (Regulation (EC) No 1272/2008)				
68188-85-2	Rare earth flourides					
	269-166-1					
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H332 H312 H302 H315 H319 H335					
10043-01-3	Aluminium sulphate			<2 %		
	233-135-0		01-2119531538-36			
	Eye Dam. 1; H318					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
68188-85-2	269-166-1	Rare earth flourides	<30 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. If symptoms persist, call a physician.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After contact with skin

Wash off immediately with soap and plenty of water.

After contact with eyes

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

BOHLE KF150 POLISHING POWDER

Revision date: 28.04.2023 Product code: BOKF15025 Page 3 of 6

Suitable extinguishing media

water spray dry powder foam carbon dioxide (CO2)

5.3. Advice for firefighters

Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation. Use personal protective equipment.

dust formation: In case of insufficient ventilation, wear suitable respiratory equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Use mechanical handling equipment. Clean contaminated surface thoroughly. Flush with water.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid dust formation. Ensure adequate ventilation, especially in confined areas. Do not breathe vapours/dust.

Wear personal protective equipment.

Advice on protection against fire and explosion

No special technical protective measures required.

Advice on general occupational hygiene

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special storage conditions required. Store at room temperature in the original container. Keep container tightly closed and dry.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
16984-48-8	Fluoride (as F)	-	2.5		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
-	Inorganic fluorides (not uranium hexafluoride)	Fluoride	3 mg/L	Urine	End of shift

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

BOHLE KF150 POLISHING POWDER

Revision date: 28.04.2023 Product code: BOKF15025 Page 4 of 6

Appropriate engineering controls

Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached. However it is the duty of the user to verify this and follow given exposure limits at the workplace.

Individual protection measures, such as personal protective equipment

Eye/face protection

safety glasses with side-shields conforming to EN166

Hand protection

rubber gloves

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: powder
Colour: off-white
Odour: odourless

Melting point/freezing point:no data availableFlash point:not applicablepH-Value (at 20 °C):4-10Water solubility:insolubleDensity:1,0-1,8 g/cm³

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No hazards resulting from the material as supplied.

Oxidizing properties

No hazards resulting from the material as supplied.

Other safety characteristics

Solvent content: 0,0 % Solid content: 100 %

SECTION 10: Stability and reactivity

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

No decomposition if stored and applied as directed.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATEmix calculated

ATE (oral) 2500,0 mg/kg; ATE (dermal) 5500,0 mg/kg; ATE (inhalation vapour) 55,00 mg/l; ATE (inhalation dust/mist) 7,500 mg/l



according to Regulation (EC) No 1907/2006

BOHLE KF150 POLISHING POWDER

Revision date: 28.04.2023 Product code: BOKF15025 Page 5 of 6

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
68188-85-2	Rare earth flourides					
	oral	ATE mg/kg	500			
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

Sensitising effects

No sensitization responses were observed.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

Contaminated packaging

In accordance with local and national regulations.

SECTION 14: Transport information

Other applicable information

Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code, ICAO/IATA-DGR

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D):

- - non-hazardous to water



according to Regulation (EC) No 1907/2006

BOHLE KF150 POLISHING POWDER

Revision date: 28.04.2023 Product code: BOKF15025 Page 6 of 6

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 11.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)